

LEDDRL401

LEDriving PX-4 | - LED daytime running lights

Areas of application

- Daytime running light



Product benefits

- 3 year guarantee
- Low energy consumption
- Easy installation
- Suitable for many vehicle models
- Modern dotted diode effect
- Elegant, contemporary look due to dotted LED technology

Product features

- LED daytime running light
- Color temperature: up to 6,000 K
- Number of LEDs: 4
- Certified according to ECE, SAE, CCC regulations
- Type of protection: IP67

Product datasheet

Technical data

Electrical data

| Nominal wattage | 13.50 W |
|-----------------|---------|
|-----------------|---------|

Dimensions & weight

Certificates & standards

| Approval marks - approval | E4 approval |
|---------------------------|-------------|
| - PP | |

Country specific categorizations

| Order reference | LEDDRL401 BK 12 |
|-----------------|-----------------|
| | |

Product datasheet





Detail Detail

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|---------------------------------|--------------------------------------|-----------------------|--------------|
| 4052899000070 | LEDDRL401 | Folding carton box 1 | 286 mm x 79 mm x 203 mm | 4.59 dm ³ | 720.00 g |
| 4052899000087 | LEDDRL401 | Shipping carton box | 444 mm x 305 mm x 231 mm | 31.28 dm ³ | 4664.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

Guarantee terms are available at

www.osram.com/am-guarantee

Legal advice

ECE E4 approval ECE R87 approval

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.