

SILVER DYNAMIC AGM

Key benefits

- Made in Germany in the world´s largest AGM production plant
- Patented PowerFrame® grid for reliable starting power, fast recharge and corrosion resistance
- Meets all original criteria of the car manufacturer
- Suitable for all vehicles with start-stop system – kicks in earlier, works harder, lasts longer (part of OE design ensuring highest fuel savings in start-stop syster
- 3 times the cycle life compared to conventional VARTA batteries

For more information visit www.varta-automotive.com

ORDER INFORMATION	
European Type No. (ETN):	605 901 095
Article Number:	605 901 095 D85 2
Short Code:	H15
Barcode:	4016987144534
UK Code:	020AGM
Packaging Unit:	1
Quantity per Pallet:	36

TECHNICAL INFORMATION			
Voltage [V]:	12	**Base Hold-down:**	B13
Battery Capacity [Ah]:	105	**Layout:**	0
Cold Cranking Amps (CCA), EN [A]:	950	**Terminal Types:**	1
Length [mm]:	394	**Case Size:**	H9/LN6
Width [mm]:	175	**Weight filled (kg):**	29,4
Height [mm]:	190		

DRAWINGS

B13



0



THE CONSTRUCTION OF VARTA SILVER DYNAMIC BATTERIES WITH AGM TECHNOLOGY

- Constructed with advanced Absorbent Glass Mat (AGM) technology
- AGM technology prevents corrosion due to acid stratification
- Highest performance, extreme cycle life and spill-proof
- Electrolyte held in the glass fleece separator exerts a uniformly high contact pressure







Features	*SILVER dynamic AGM*	*BLUE dynamic EFB*
Number of battery types	5 Types	5 Types
Primary function	Advanced Start-Stop functionality	Ensures Start-Stop functionality
Cold cranking power	CCA 135 %	CCA 115 %
Battery technology	AGM – Absorbent Glass Mat	EFB – Enhanced Flooded battery
Positive grid / Negative grid	PowerFrame® / Casted grid	PowerFrame® / Expanded grid
OE quality	Meets OE requirements	Meets OE requirements
Cycling endurance	3x higher*	2x higher*
Capability of deep discharge	High*	Middle*

*Compared to conventional batteries